



STATE BOARD OF PHARMACY

800 SW Jackson, Suite 1414
Topeka, Kansas 66612-1244
www.pharmacy.ks.gov (785)296-4056

INSPECTION:
Durable Medical Equipment
Form I-16

INSPECTION INFORMATION

Facility Name: _____ Registration Number: _____

Inspector Name: _____ Date: _____

Facility Type:

Durable Medical Equipment Oxygen/Medical Gases

C-Compliant N/I-Needs Improvement N/C-Not Compliant
U-Unassessed N/A-Not Applicable

GENERAL INFORMATION

Person(s) on duty: _____

C N/I N/C U N/A Registration(s) displayed—K.S.A. 65-1645(e) & K.A.R. 68-14-7(f)(5)

PRACTICE SETTING

Is the facility accredited by a national accreditation organization: Yes No

If so, by whom: _____

Does the facility distribute oxygen: Yes No

If distributed, transfilled on site by facility: Yes No

If yes, FDA registration number (EIN): _____ Date of last FDA inspection: _____

If no, who transfills oxygen: _____

FACILITIES

C N/I N/C U N/A Suitable size and construction to facilitate cleaning, maintenance, & proper operation
—K.A.R. 68-14-7(a)(1)

C N/I N/C U N/A Adequate lighting, ventilation, temperature, sanitation, humidity, space, equipment, & security
—K.S.A. 65-656(m) & K.A.R. 68-14-7(a)(2)

C N/I N/C U N/A Quarantine area—K.A.R. 68-14-7(a)(3)

C N/I N/C U N/A Maintained in a clean and orderly condition—K.A.R. 68-14-7(a)(4)

C N/I N/C U N/A Free from infestation by insects, rodents, birds, or vermin of any kind—K.A.R. 68-14-7(a)(5)

C N/I N/C U N/A Drugs and devices stored per manufacturer—K.A.R. 68-14-7(c)

C N/I N/C U N/A Documentation of appropriate temperature—K.A.R. 68-14-7(c)(2)

Room temperature: _____

Refrigerator temperature: _____

Freezer temperature: _____

C N/I N/C U N/A Establish, maintain and adhere to policy and procedures—K.A.R. 68-14-7(g)

C N/I N/C U N/A Procedures for distribution of oldest approved stock first—K.A.R. 68-14-7(g)(1)

C N/I N/C U N/A Procedure for handling recalls and withdrawing drugs and devices—K.A.R. 68-14-7(g)(2)

C N/I N/C U N/A Procedure to prepare for, protect against and handle any crisis that affects security or operation of



STATE BOARD OF PHARMACY

800 SW Jackson, Suite 1414
Topeka, Kansas 66612-1244
www.pharmacy.ks.gov (785)296-4056

**INSPECTION:
Durable Medical Equipment
Form I-16**

facility—K.A.R. 68-14-7(g)(3)

- C N/I N/C U N/A Procedure for outdated, mislabeled, or adulterated drugs and devices to be removed from stock
—K.S.A. 65-1634, K.S.A. 65-657(a), K.A.R.68-14-7(e) & K.A.R. 68-14-7(g)(4)

SECURITY

- C N/I N/C U N/A Secure from unauthorized entry—K.A.R. 68-14-7(b)
- C N/I N/C U N/A Alarm and security systems—K.A.R. 68-14-7(b)(2) & (3)
- C N/I N/C U N/A Verification that persons or entities that transport on their behalf utilize processes to ensure product security—K.A.R. 68-14-7(b)(5)

RECORDS

- C N/I N/C U N/A Documentation of education, training & experience—K.A.R. 68-14-5
- C N/I N/C U N/A Documentation of examination of materials—K.A.R. 68-14-7(d)
- C N/I N/C U N/A Oxygen prescriptions contain all required elements and are renewed annually—K.S.A. 65-1637
- C N/I N/C U N/A Records of ALL transactions in the receipt and distribution of prescription-only drugs and devices
—K.A.R. 68-14-7(f)
- C N/I N/C U N/A Duration of record keeping—K.A.R. 68-20-16(a) & K.A.R. 68-14-7(f)(3)
- C N/I N/C U N/A Central record keeping—K.A.R. 68-14-7(f)(4)

Location: _____

- C N/I N/C U N/A Records readily retrievable—K.A.R. 68-14-7(f)(3) & (4)

REVIEW OF INVENTORY AND INVOICE RECORDS

- C N/I N/C U N/A Drugs and devices distributed to registered sources
—K.S.A. 65-1643(c), K.A.R. 68-14-7(f)(2) & K.A.R. 68-14-7(g)(5)
- C N/I N/C U N/A Inventories and records of all held drugs and devices—K.A.R. 68-14-7(f)

COMMENTS